

## ACE PVC STRIP CURTAINS

For full specifications and downloadable shop drawings visit:

[www.rudnev.co.nz](http://www.rudnev.co.nz)

# ACEDOORS PVC STRIP CURTAINS

Strip Curtains are an economical solution to protect employees and goods from adverse environmental conditions such as noise, heat, cold, humidity, dust, pests and drafts.

ACE PVC Strip Curtains are custom made to suit your application and door opening. They comprise of overlapped flexible PVC strips, fitted onto an aluminium header rail.


## FLEXIBLE PVC

ACE PVC is sourced from a leading European based manufacturer, is made to strict European standards and is free of carcinogenic DOP plasticisers and silicone. It has been tested in accordance with the NZ Standard 3837 for heat and smoke release.

For replacement strips, ACE can supply PVC in 50m rolls or cut and punched to length.

Stocked PVC strip:

PVC Size	Colour	Temperature	Style	Typical Uses
100mm wide x 2mm thick	Clear	Medium	Flat	Pedestrian doorways, Coolrooms, Chillers
100mm wide x 2mm thick	Clear	Low	Flat	Pedestrian doorways to Freezers
200mm wide x 2mm thick	Clear	Medium	Flat	Medium duty use, Hand trolleys, larger pedestrian openings
200mm wide x 2mm thick	Clear	Medium	Ribbed	Medium duty use, larger pedestrian openings, forklift doorways under 2.5m high
200mm wide x 2mm thick	Clear	Low	Ribbed	Freezer rooms with hand trolley use
300mm wide x 3mm thick	Clear	Medium	Ribbed	Heavy duty forklift use
300mm wide x 3mm thick	Clear	Low	Ribbed	Freezer rooms with forklift use





# ALUMINIUM HEADER RAIL

ACE aluminium header rails can be face fixed or head fixed and are available with an optional powdercoated dust cover and stainless steel end caps.



## OPTIONS


**Strip Overlaps:** Each strip normally overlaps the adjacent strips by 30% or 60% of the strip width. The overlap required depends upon the traffic type, wind exposure and dust and noise.

**Sliding Track:** An optional sliding track is available for applications where the PVC Strip Curtain needs to be opened. ACE's proprietary sliding track system is easy to install and operate.




For full specifications and downloadable shop drawings visit:

[www.rudnev.co.nz](http://www.rudnev.co.nz)




P.V.C. Strip Curtain Wall Mounted

DRAWING No:- SC02



P.V.C. Strip Curtain Head Mounted

DRAWING No:- SC01 R1



PVC Strip Curtain with Sliding Track

DRAWING No:- SC04 R1



Levallois-Perret, 17 September 2008.

To whom it may concern

**CERTIFICATE**  
**HYGIENE OF FOODSTUFFS**

All **extruflex** flexible PVC strips and sheets (except anti-static references (Ref. 180) which is moisture absorbent as mentioned on its label) can be used as floor surface, wall surface, ceiling or door in rooms where food is prepared, treated or processed, including rooms contained in means of transport.

This smooth surface, non-absorbent, impervious, washable and non-toxic material is easy to clean and to disinfect. It meets the requirements enounced by the regulation (CE) n° 853/2004 of the European parliament and of the council of 29 April 2004 in reserve to be correctly implemented.

Thank you for your concern and support to our environmental and safety policy.

*Valat*

Jacques VALAT  
Chief Executive Officer